

## PATENT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner  
 US Department of Commerce  
 United States Patent and Trademark  
 Office, PCT  
 2011 South Clark Place Room  
 CP2/5C24  
 Arlington, VA 22202  
 ETATS-UNIS D'AMERIQUE  
 in its capacity as elected Office

Date of mailing (day/month/year) 18 May 2001 (18.05.01)	
International application No. PCT/AU00/01060	Applicant's or agent's file reference P15666PCAU
International filing date (day/month/year) 07 September 2000 (07.09.00)	Priority date (day/month/year) 07 September 1999 (07.09.99)
Applicant WOOD, John et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:  
 03 April 2001 (03.04.01)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was  
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Claudio Borton
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: WOOD et al.

Application No.

Examiner:

Filed: (Herewith)

Group Art Unit:

International Application No. PCT/AU00/01060

For: Application Management for Multi Application Devices

COPY OF INTERNATIONAL APPLICATION


Box PCT  
Commissioner for Patents  
Washington, D.C. 20231

Sir:

Attached is a copy of international application No. PCT/AU00/01060 as published, of which the present application forms the national stage.

Respectfully submitted,

Date: 3/7/02



Robert J. Sacco  
Registration No. 35,667  
Akerman, Senterfitt & Eidson, P.A.  
222 Lakeview Avenue, 4th Floor  
Post Office Box 3188  
West Palm Beach, FL 33402-3188  
Telephone: (561) 653-5000

Docket No. 6600-17

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

REC'D 28 SEP 2001

WIPO

PCT

Applicant's or agent's file reference P15666	<b>FOR FURTHER ACTION</b>	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416).
International Application No. <b>PCT/AU00/01060</b>	International Filing Date ( <i>day/month/year</i> ) 7 September 2000	Priority Date ( <i>day/month/year</i> ) 7 September 1999
International Patent Classification (IPC) or national classification and IPC  Int. Cl. <sup>7</sup> G06K 19/07		
Applicant  KEYCORP LIMITED et al		

1.	This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.	
2.	This REPORT consists of a total of 3 sheets, including this cover sheet.  <input type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).  These annexes consist of a total of sheet(s).	
3.	This report contains indications relating to the following items:  I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input type="checkbox"/> Certain documents cited VII <input type="checkbox"/> Certain defects in the international application VIII <input type="checkbox"/> Certain observations on the international application	

Date of submission of the demand 3 April 2001	Date of completion of the report 18 September 2001
Name and mailing address of the IPEA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaaustralia.gov.au Facsimile No. (02) 6285 3929	Authorized Officer  <b>CHARLES BERKO</b> Telephone No. (02) 6283 2169

**I. Basis of the report****1. With regard to the elements of the international application:\***

- ☒ the international application as originally filed.
- ☐ the description,        pages , as originally filed,  
   pages , filed with the demand,  
   pages , received on    with the letter of
- ☐ the claims,                pages , as originally filed,  
   pages , as amended (together with any statement) under Article 19,  
   pages , filed with the demand,  
   pages , received on    with the letter of
- ☐ the drawings,            pages , as originally filed,  
   pages , filed with the demand,  
   pages , received on    with the letter of
- ☐ the sequence listing part of the description:  
   pages , as originally filed  
   pages , filed with the demand  
   pages , received on    with the letter of

**2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.**

These elements were available or furnished to this Authority in the following language which is:

- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).

**3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:**

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

**4. ☐ The amendments have resulted in the cancellation of:**

- ☐ the description,        pages
- ☐ the claims,            Nos.
- ☐ the drawings,        sheets/fig.

**5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).\*\***

\* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

\*\* Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement****1. Statement**

Novelty (N)	Claims	YES
	Claims 1-12	NO
Inventive step (IS)	Claims	YES
	Claims 1-12	NO
Industrial applicability (IA)	Claims 1-12	YES
	Claims	NO

**2. Citations and explanations (Rule 70.7)****Documents cited in the Search Report:**

US 5578808  
US 5544246  
US 5923884  
US 5530232  
US 4700055  
AU 57487/98  
US 5473690  
US 5276311

**NOVELTY (N). Claims 1-12**

The claimed invention is directed to an application control system for use in the environment of smartcards and terminals, in which software located on cards are remotely controlled, including a database of details of permissible applications that can be loaded onto cards and/or terminals, and provides for remote loading and deletion of applications independently of the operating system on card and terminal. Each of the first six documents essentially discloses the features of the invention defined in claims 1-12. Additionally, US '690 discloses the essential features of the invention defined in independent claims 4, 6, and 8. Any differences are considered to be elements of common general knowledge available to a person skilled in the art.

The invention as claimed is considered to be not novel.

**INVENTIVE STEP (IS). Claims 1-12**

Claims 1-12: as above.

Additionally, when US '311 is combined with US '690, as would be obvious to a person skilled in the art, the features added by the appended claims are disclosed and/or are considered to be inessential adaptations of the cited art.

The claimed invention is considered to lack inventiveness.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
15 March 2001 (15.03.2001)

PCT

(10) International Publication Number  
**WO 01/18746 A1**

(51) International Patent Classification<sup>7</sup>: **G06K 19/07**

(21) International Application Number: **PCT/AU00/01060**

(22) International Filing Date:  
7 September 2000 (07.09.2000)

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:  
PQ 2689 7 September 1999 (07.09.1999) **AU**

(71) Applicant (for all designated States except US): **KEY-CORP LIMITED [AU/AU]**; Level 9, 67 Albert Avenue, Chatswood, NSW 2067 (AU).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **WOOD, John [AU/US]**; The Presidio, 549 Presidio Blvd., San Francisco, CA 94129-1129 (US). **PATAPIS, George [AU/AU]**; 1544 Pittwater Road, Warriewood, NSW 2102 (AU). **DOUGLAS, Rob [AU/AU]**; 21 Attunga Road, Newport Beach, NSW 2106 (AU).

(74) Agent: **WATERMARK PATENT & TRADEMARK ATTORNEYS**; Unit 1, The Village, Riverside Corporate Park, 39-117 Dehli Rd, North Ryde, NSW 2113 (AU).

(81) Designated States (national): **AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW.**


(84) Designated States (regional): **ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**

Published:

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **APPLICATION MANAGEMENT FOR MULTI APPLICATION DEVICES**



(57) Abstract: A process and system for managing and leasing memory capacity on a plurality of smartcards (14, 15, 16) and/or smartcard terminals (11, 12, 13). The capacity is leased to developers (50) of various applications who wish to load their applications on desired smartcards (14, 15, 16) and/or smartcard terminals (11, 12, 13).

WO 01/18746 A1

Express mail label  
No. EL920517337US

## **APPLICATION MANAGEMENT FOR MULTI APPLICATION DEVICES**

### **Technical Field**

The present invention relates to the management of applications resident on multi application devices, for example smartcards and smartcard terminals. It has particular but not exclusive application to situations where the device owner and the provider of applications are arms length parties.

### **Background**

Smartcards are increasingly used and proposed to be used in many different applications. By smartcard is meant a device including processing capacity intended for use in association with terminals or similar infrastructure. The smartcards may operate by direct electrical contact or via a wireless mechanism.

Advances in technology, and in particular the amount of processing power and memory resident on reasonably priced smartcards, have seen proposals advanced for multi application smartcards. Such a smartcard is one where there is not only a single software application, for example a credit card application, but a variety of other applications on the same card. These may in principle include access applications, telephone applications, airline applications, rental car applications, loyalty schemes, and many others. A particular advantage of having many applications resident on a smartcard is that the user can minimise the number of separate cards which need to be carried. It also allows the issuer of the cards to derive revenue from having applications from third parties resident on the card, and to defray the capital cost of issuing the cards. For example, an airline may issue a smartcard as part of a loyalty scheme, and receive revenue by allowing a financial services institution to place a credit card application on the card.

Multi application smartcards are a means by which applications can be loaded which have functionality well beyond the traditionally foreseen smartcard applications, as it is possible for quite small applications to be economically provided on the card.

For example, US patent Nos. 5530232 and 5578808 to Taylor disclose multi application smartcard systems.

Another aspect of multi application systems is the requirement for terminals to appropriately interact with the various applications. Hence, if an application is to be loaded onto a card, then there needs to be a mechanism to provide the corresponding terminals with an interacting application.

5 Multi application smartcard schemes present a number of specific problems, particularly where various parties have applications on the card which may contain confidential information, encryption keys or details which they do not wish disclosed to the other applications resident on the card. It is necessary for the application provider in these cases to trust the arrangements between it and the issuer, both  
10 commercially and technically, so that unauthorised information is not disclosed. Another issue for the card owner and application providers is to ensure that applications on the card do not interfere with each other, for example by overwriting memory in use by another application. A further issue for the issuer is that in many cases they will wish to ensure that inappropriate or competing applications are not  
15 loaded onto the card. For example, a financial institution issuing a smartcard is unlikely to desire that the applications of other financial services providers be loaded onto the smartcard.

US patent No. 5544246 to Mandelbaum et al describes a particular type of smartcard operating system which allows different service providers' applications to  
20 coexist on a smartcard. Essentially, this proposes a UNIX type solution, where each user has control over a particular sub-directory in the card operating environment. The issuer, or super user, has only limited ability to access the sub-directories associated with other application providers. A particular problem with this arrangement is that it leaves control of which applications are loaded to the card  
25 issuer. This means that the card issuer needs to be directly involved with each application which is loaded on the card. It does not provide a mechanism for loading applications onto cards owned by different issuers. A further issue is that the application providers are entirely reliant on the security and integrity of the card issuer.

30 It is an object of the present invention to provide a system, which is independent of the card or terminal operating system and independent of the issuer,



which can control loading and removal of applications, so as to facilitate an orderly and accessible market for parties wishing to load applications onto cards owned by one or more issuers.

### **Summary of the Invention**

5       According to one aspect, the present invention provides an independent software system which enables the remote loading and unloading of applications. In operation, a control server maintains details of the devices which the system controls, a set of possible applications which can be loaded onto the devices, and a control means which determines which applications are permitted or required to be  
10   loaded onto which devices. When a device is brought on line with the server, for example by a customer inserting a card into a terminal, the terminal sends a signal to the control server which identifies the device. The control server matches the identification to its records, and determines whether a new application needs to be loaded, any of the existing applications need to be updated, or if an application  
15   needs to be removed. On the basis of this information, the control server and the terminal then cooperate to load or unload applications onto the smartcard.

It will be appreciated that in some cases the application may be stored on the terminal and downloading simply authorised by the control server. In some cases, the terminal may act as a bare intermediary and simply load onto the card  
20   applications sent directly from the control server.

At another level, in order to facilitate the market, the inventive system acts as an intermediary. A particular application provider may, for example, provide details of suitable or desired demographics to the system, and general details about the type of application proposed. The system will then determine the various sets of cards to  
25   which these criteria may be applicable. It is noted that these may spread across many different issuers, or be from a single issuer. The system then passes the specific requests to the card issuers, who then propose suitable contractual terms which are agreed with the application provider. A specific contract is entered into between the application provider and the issuer, which is administered by the  
30   intermediate party. Once this contract is in force, the control information is updated in the control server, and when next the cards are brought on line, the appropriate

applications are downloaded. It is emphasised that the present invention provides a very flexible approach. For example, it readily facilitates time limited loading - an application may be purely an advertisement for an upcoming event. The term application in the context of this invention encompasses files, displays and advertising messages.

The application provider may pay for this application to be downloaded so that it is displayed when the terminal is accessed by the card, for example, for a month. At the end of this period, the control server can remove this application from the card when next it is brought on-line.

The present invention further provides various novel reporting structures and systems. For example, it facilitates reporting to an issuer what applications are loaded onto which cards, as well as reporting to an applications provider how many of its applications are loaded, on what types of cards, and the "rent" it is paying for the relevant space.

It will be appreciated that references to cards could equally be to terminals or other similar devices - indeed, in many cases both would need to be controlled.

The present invention is based upon the principle of managing the non-volatile memory space on the smartcard as if it were a piece of real estate. The control system acts as the real estate agent. The application for those wishing to rent space approach the real estate agent who then brokers a deal with the issuer. The agent then becomes responsible for ensuring rent is appropriately collected, and that the tenants do not interfere with each other.

This is a very powerful paradigm, as it allows for the conventions and processes evolved over a long period for lessees and owners of premises to be applied to the residence of applications on smartcards. Accordingly, concepts familiar to business managers can be applied and the process managed on a fair and equitable basis, to the benefit of both the application providers and the device owners.

**Brief Description of Drawings**

An embodiment of the present invention will now be described with reference to the accompanying figures, in which:

5 Figure 1 is a general overview schematic diagram showing the context of the inventive system;

Figure 2 is a block diagram illustrating the software components of the cards and terminal according to the inventive system;

Figure 3 is a schematic diagram showing the interactions required when a device issuer provides space on one or more on one or more devices for rent;

10 Figure 4 is a schematic diagram showing the interactions required when an application provider wishes to rent space on one or more devices;

Figure 5 shows a sample rental search request screen;

Figure 6 shows a sample rental search results screen;

Figure 7 shows a sample rental confirmation screen;

15 Figure 8 shows a sample application report screen;

Figure 9 is a schematic illustration of the interaction of devices when an application provider wishes to extend a lease;

Figure 10 is a schematic illustration of the interaction of devices when a request to delete applications is sent;

20 Figure 11 is a schematic illustration of the interaction of devices when an operator wishes to obtain details of a device;

Figure 12 is a schematic illustration of the interaction of devices when an application provider wishes to add a new application to devices;

Figure 13 shows a sample screen reporting applications to be downloaded;

25 Figure 14 shows a sample screen reporting configuration for selected devices;

Figure 15 shows a sample screen reporting lease agreements;

Figure 16 shows a sample screen reporting devices by issuer;

Figure 17 shows a sample screen reporting tenants current on the system;  
and

30 Figure 18 shows a sample screen reporting vacant property on the system.

### Detailed Description of the Preferred Embodiment

It will be appreciated that the present invention is broad in scope and application, and that it may be implemented in diverse ways yet provide the same functionality. One illustrative embodiment will be described below. The following table sets out some of the analogies between the realtor/property interaction and the processes for use in multi use smartcard systems.

Realty Term	Application Lease Control System (ALCS) function analogy
Owner	Device Issuer, e.g. card issuer
Realtor/Agent	ALCS
Lessee/Tenant	Application owner
Submitting new real estate	Issuer advising updated list of e.g. cards issued to ALCS
Submission of lease request	Application provider requesting access to certain space or certain cards.
Search for suitable real estate	ALCS – mediated database search for cards meeting demographic requirements
Rental property	Specified space on multi-application smartcards or terminal.

From figure 1, it can be seen that the present invention provides an application lease control system (ALCS) 30 lying between the various devices, collectively referenced as 10, and the various participants having a stake in the effective operation of the system, referenced collectively as 50. Devices 10 would generally include a large number of terminals, illustratively referenced as 11, 12, 13, which may be of different manufacture and operate under different operating systems. At each terminal, smartcards may be utilised which are compatible with the respective terminal, using for example either the Multos scheme 14, Javacard scheme 15 or OSSCA scheme 16. Each terminal is connected to its normal host, one of the participants 50, as well as to the application lease control system 30.

The participants may include the owner of the card, the card issuer 51, or in our analogy the real estate owner, for example a bank; developers of applications 52; the card tenants 53; the terminal issuer/owner/acquirer 54; and terminal tenants 55. It will be appreciated that some of these will have commercial relationships outside the context of the present invention - for example, the application providers will be contracted by card and terminal issuers 51,54 and by tenants 53,55 to provide the necessary applications. The terminal owners 54 and card issuers 51 will have appropriate arrangements to facilitate the operation of the card issuer's 51 cards in the terminals of at least some of the terminal owners 54.

The latter arrangements are well known and commonly implemented. It will be appreciated that a set of suitable legal agreements will need to be concluded prior to any party becoming a participant in the system, so as to define the respective legal rights and obligations of the parties. The ALCS 30 and interacting software need to operate in a manner consistent with such agreements if the potential of the present invention is to be fully realised. The present invention is concerned with managing the available capacity of both cards and terminals, performing a role analogous to a real estate agent or realtor to set up and manage relationships between device issuers and tenants, or owners of applications.

A variety of interfaces must be provided to allow the various participants 50 to interact with the ALCS 30. Thus, appropriate interfaces need to be provided for the operators of the ALCS 30 and its components; interfaces for device issuers 54, 51; and interfaces for application providers, who may be tenants or their application developers, to deposit their applications for distribution to devices. The ALCS will also need to provide suitable interfaces to the participants, for example card issuer interface, device tenant interface, and terminal issuer. The ALCS 30 will also need to interface with the software running on the respective devices 10. Communications may be by any suitable mechanism between ALCS 30, the devices 10, and participants 50, shown as cloud 35. These may include internet, mobile data networks, leased lines, DDN, POTS or other analogue networks or X25.

The ALCS 30 may be implemented by any suitable hardware. For example, figure 1 shows the server 40 implemented via an NT server based system. Reports

of various types can be generated, as described in more detail below, shown as block 37. Server 40 is in communication with a relational database 38, preferably implemented on a suitable server 39. It will be appreciated that the type and scale of the hardware will be dependant on the number of devices and applications which are managed by the system.

In most areas where the ALCS 30 can be deployed, it will need to be able to support a range of different smartcard and terminal hardware devices. This is a consequence of the prevailing smartcard environment envisaged for the near future. Preferably, these will conform to prevailing standards, for example the Application Protocol Data Unit and Inter-Industry Commands of ISO7816-4. The terminals 11 -13 need to have, as a minimum, basic modem functionality, and sufficient memory to run the software to interface with ALCS 30. The present invention does not provide an operating system - it is, however, necessary that the ALCS 30 have interfaces to each of the operating systems with which it operates, and the necessary accesses and authorisations, so that it can issue appropriate commands to the card and device operating systems to load and unload applications and related tasks. It need not, and for security reasons it is preferred that it does not have authorisation to, for example, alter PIN numbers, alter issuer cryptography, or monitor in any way the substance of communications from the applications to any external parties with which they communicate.

One way to implement the ALCS 30 to allow it to perform its lease management tasks, is for card agent software to be loaded on each participating smartcard. This software needs to provide a consistent interface to the terminals, so that each terminal does not require different software to communicate with and utilise the ALCS 30 functionality on each type of smartcard.

A preferred implementation, however, is to not require any special software on each card, but rather to provide appropriate terminal interfaces, so that ALCS 30 instructions are implemented using the commands within each card's operating system. Thus, the ALCS 30 via the terminal does not usurp the normal operating system protocols and interfaces - it simply utilises them to perform the tasks required for the operation of the ALCS.

Terminal 11 includes various software components (Fig. 2) necessary to perform the ALCS tasks required. It is noted that in addition it is loaded with the software necessary to perform its normal tasks, for example as a financial services terminal or other smartcard reading device. The ALCS functionality is an application provided in addition to the existing software, not a replacement for it.

A terminal agent 61 is required to provide a consistent interface to terminal applications for access to the ALCS 30 functionality of smartcards, regardless of the type of card inserted.

The Terminal Agent 61 also provides a consistent interface for managing all terminal functionality to the remote ALCS back-end server.

The system will conveniently provide a collection of standard application groupings and a set of interfaces that have to be met by each application belonging to a group.

The application groups may include, for example:

- Payment Applications which handle different forms of payment such as Credit, Debit, Stored Value etc,
- Communication applications which facilitate external communications and network protocol conversions,
- Advertising Applications for displaying and manipulating advertising messages on a terminal display,
- Management Applications to facilitate device management such as configuration and gathering of statistics,
- Identification Applications which assist in authenticating a user, handle the personal details and security checks,
- Directory Applications which permit the cataloguing and searching of the available applications on a device,
- Security Applications which can place a terminal into a number of different security modes and
- Ordinary/Legacy applications that do not co-operate with any other application on the system and operate in a legacy fashion.

Applications can be grouped into a collection. For example a utility company, a bank and an insurance provider may wish to bundle their applications for distribution together. They will be identified by a collection trading name. If a terminal detects that a smartcard with a known X-Collection identifier has been inserted, it will  
5 run the specific X-Collection menu. Alternatively, the terminal may display a menu structure and the selection of all applications that are loaded onto it.

Software interfacing to the Issuer host will assist in automating such things as submitting new real estate, confirming acceptance of lease requests by tenants and anything else that would have to be done manually by Issuer operators via ALCS  
10 graphical interfaces.

Software to interface to application providers would assist in the automated searching of real estate and submission of lease requests, automatic submissions of applications to the rental property, etc. This would reduce the need for manual browsing by providers of the ALCS Application Provider GUI screens.

15 To improve the ability of the ALCS software to communicate with devices and in particular smartcards, an interface to transaction acquirers is desirable. Via this interface the ALCS can notify a transaction acquirer when a particular device comes on-line, to tell the device to also contact the ALCS for management purposes. This assists the flexibility and functionality of the overall ALCS solution.

20 Note that in many cases the transaction acquirers may be issuers.

The ALCS must co-exist in a mixed, legacy environment of various communication protocols and networks. For example, some of the interfaces include EFTPOS, AS2805, HDLC, Synchronous networks and SNA Networks.

25 Communication speeds end-to-end in practice vary dramatically starting from only 1200bps. Also, much of the front-end equipment (terminals/ smartcards), is not necessarily on-line but rather comes on-line only when a transaction occurs. This ALCS will need to accommodate this in any implementation.

#### ALCS Functions

The ALCS functionality, can be grouped into the following areas:

- 30 • Interfacing to Device Issuers and Application providers,
- Device Real Estate Management,



- Application Management,
- Security Management,
- Billing and
- Advertising Management.

5

### **Interfacing to Device Issuers**

Smartcard issuers and/or terminal issuers, require an interface to the ALCS in order to inform the ALCS of available real estate for leasing and their specific requirements as far as tenants are concerned. The further illustration of the present invention will be with respect to the applicants Privacy Host implementation. It will be appreciated that this is only one way in which the invention can be implemented.

An interface can vary in sophistication, from a simple hand signed letter of agreement and an issuer supplied floppy disk with the device details to a fully automated system. In an automated system, the issuers' computers directly interface and communicate with the ALCS for the purpose of informing the ALCS of real estate availability.

Issuers will in addition provide classification for their devices. Classifications can be based on demographics (age, income level etc.) or any other issuer choices. These classifications will be used by application providers for device selection.

Figure 3 illustrates the components of the process of a device issuer providing real estate for lease. The device issuer 54 supplies details of the available real estate, or devices, to the Privacy Host server 40. This then supplies the relevant details for secure storage on the Privacy Host database 38, including for example the number of devices, the details of the devices, the relevant demographic details, and the number of bytes of memory available. The device issuer 54 also provides specific tenant requirements to the privacy host server 40 which are then stored in the database. For example, the issuer may not want any other travel applications loaded, as this would compete against its primary application, but may be particularly interested in financial services applications being loaded.

In addition Device Issuers will wish to see the status of their real estate at any point in time. This information can be provided by the ALCS in several ways, such as

periodic reports, a WWW on-line interface or direct access between ALCS database and the Device Issuer database.

### **Interfacing to Application Providers (Device Tenants)**

Potential tenants - those wishing to provide applications for the devices need to be able to search for the appropriate real estate that suits their demographic or other need and supply the applications for down-loading and occupation of the real estate.

The interfaces the ALCS needs to provide to prospective tenants include software to locate the required real estate, software to apply for a lease and submission of the applications. It is preferred that a facility for application signing and Tenant authentication is provided.

These interfaces may range from graphical WWW screens to automated search and submit mechanisms between the ALCS and Application Providers' computers.

Figure 4 illustrates a process in which an application provider 53 requests cards for rent. Application provider 53 logs on to the Privacy Host system 40. Using search criteria and particular demographic details they select the type and number of cards that are of interest. A sample screen for this purpose is shown in figure 5. Using a simple GUI, various options as to price, device type, demographics, memory requirements, etc can be entered.

Figure 6 illustrates a report screen generated by the Privacy Host system 40 after searching the Privacy Host database 38. This shows the number of hits on the various criteria selected by the application provider 53. At this stage, the application provider 53 could elect to alter the criteria and redo the search, if insufficient hits were found. On the basis of the report, the application provider 53 can decide to submit a rental request, by clicking the submit button. This is then sent to the one or more card issuers 51A, 51B whose cards meet the criteria. It is emphasised that the present invention is readily implemented in a multiple issuer, multiple operating system environment, allowing for real estate to be rented which best meets the criteria of the application provider 53, whether this is all on cards from one issuer or on only a few cards from many issuers.

Once the approvals have been given, privacy host sends a confirmation to the application provider, for example as shown in figure 7. This may conveniently include a public key for a public/private key encryption system, which the application provider 53 uses to encrypt the applications and then submit these to the Privacy Host system 40. The applications can then be downloaded as the cards in question come online, as will be discussed further below.

### **Device Real Estate Management**

This is one of the central functions of the ALCS. There is a need to be able to manage the space on each device so as to enable multiple applications from different parties to be resident, without interfering with each another. The real estate must be allocated and de-allocated dynamically to the different participants in the scheme. The participants are acting in the role of "device tenants" by supplying their applications to reside on the devices.

The system will also need to keep track of such things as number of vacancies on each device, expiry of lease for an application, length of tenancy of each application and similar information. For example, figure 15 shows a sample screen reporting lease agreements, providing details such as term, tenant, and number of devices; figure 16 shows a sample screen reporting devices by issuer which are controlled by the ALCS; figure 17 shows a sample screen reporting tenants current on the system; and figure 18 shows a sample screen reporting vacant property on the system.

The participants may also require various other reports, which can be readily provided using standard database query and reporting software, for example:

- An issuer makes changes to their entries, removing, adding and modifying real estate as they see fit.
- An issuer wishes to see a breakdown of the number of devices he has submitted for lease.
- An issuer wishes to see how many of their devices have been leased and to whom.
- An issuer searches for devices based on technical criteria such as device operating system and demographic criteria such as physical location.

- A device issuer wants to query know how much real estate is still vacant.
- An issuer requests information on the most popular devices by usage.
- An issuer requests information which shows the most popular physical device locations.
- 5 • An issuer requests information showing which leases are due to expire and what property will be made vacant.
- An application provider requests information listing the whereabouts of their applications with the information being grouped by physical location, real estate category and demographic breakdown.
- 10 • An application provider requests information on the issuers they are dealing with.
- An application provider requests information on their leases including length of lease and how much time before certain leases expires.
- An application provider wishes to find out how many times their applications have been used on each device.
- 15 • The operator lists all Issuers that are participating in the ALCS together with information on their Real Estate.
- The operator lists all tenants together with information on their status.
- The operator lists all the property that is currently vacant.
- 20 • The operator extends the lease for an application on a given set of devices.
- An operator retrieves information and determines who the best Issuers and tenants are.
- An operator examines information on tenant lease requests that could not be fulfilled.
- 25 • An operator requests information to identify if any problems occurred when attempting to occupy property by applications.
- An operator requests information to identify if any problems occurred when trying to vacate property by applications.

**Device Rebuilding**

If a smartcard is lost or damaged, the ALCS is preferably able to rebuild and re-install on the real estate all the applications that were previously present using its database or links to external Application provider databases. These applications will be in a brand new state. Restorations of any loyalty points, transaction information or any other data that was accumulated over time, will need to be done by the application provider.

It is important to note that whilst preparing a batch of cards for issuing, they usually go through the following processing steps:

1. Initialisation,
2. Profile Preparation and
3. Personalisation.

Initialisation is the process where all the common data of a batch of cards is placed onto them. Profile preparation is the phase where an Issuer associates cards to business organisation. Particular applications are loaded onto the card as the Issuer sees fit. Personalisation is the process where cardholder specific information is loaded onto a card. This phase associates a card to a user. The ALCS initially will not replace this functionality but ensure that after a lost device is replaced with a new initialised and personalised device, that it can accurately replace the additional applications that were residing on the device at the time of loss.

**Application Management**

The system manages the applications that will reside on the devices including:

- Distribution of applications,
- Lifespan of applications,
- Application Providers submitting applications for devices,
- Storage of applications,
- Version control,
- Tracking of applications through their lifecycle,
- Loading and Unloading of applications.

Different applications can execute on different devices thus the ALCS needs to be able to manage this mix and match of application to device hardware architecture.

Figure 8 shows a sample screen report for a particular application, providing details of which devices it is loaded onto, the period of lease remaining, the device owner, and the date the application was loaded onto each device.

Figure 9 illustrates the interactions necessary when the operator of the Privacy Host system wishes to extend the lease of space for an application on a given group of devices. The diagram shows various elements of the system - the Privacy Host database, the Privacy Host operator, the existing interface ( legacy interface) to the terminal, and the terminal - as vertical lines, with time increasing down the graph and communications shown as lines between the elements.

The operator sends a signal to inform the given device that it should contact Privacy Host, to the legacy interface, which is then forwarded to the terminal. When the terminal goes online, it signals this to the Privacy Host operator, which then sends a signal extending the application lease to the terminal. The terminal confirms this to the Privacy Host operator, which then updates the Privacy Host database.

Figure 10 illustrates, in a similar way to figure 9, the interaction of devices when a request to delete applications is sent. The operator sends a signal to inform the given device that it should contact Privacy Host, to the legacy interface, which is then forwarded to the terminal. When the terminal goes online, it signals this to the Privacy Host operator, which then sends a signal deleting the application lease to the terminal. The terminal confirms this to the Privacy Host operator, which then updates the Privacy Host database.

Figure 11 shows the interaction of devices when an operator wishes to obtain details of a device. The operator sends a signal to inform the given device that it should contact Privacy Host, to the legacy interface, which is then forwarded to the terminal. When the terminal goes online, it signals this to the Privacy Host operator, which then sends successively signals requesting the amount of free space, the current operating system, a list of currently loaded applications, and the card owner. It will be appreciated that the queries could vary if required. The terminal reports the answers to the Privacy Host operator, which then updates the database. Figure 14

shows a sample report screen which tabulates the configuration of devices and shows their current status.

Figure 12 illustrates a more complex process, in which a selection of cards have a debit application loaded, and an application provider wishes to add a loyalty application. The vertical lines represent elements of the system, similarly to figure 9. The application provider conducts a search (1), and on the basis of the results requests permission to load on certain devices (2). After approval is obtained (3), the public encryption keys are provided (4), the application is encrypted (5), and is then submitted to the Privacy Host manager via the real estate screen (6). The Privacy Host manager sends a signal to the legacy interface requesting the ( or each specified) device to contact the Privacy Host manager(7). When the device is inserted into a terminal and is online, it signals the Privacy Host manager and sends a request to get the application (9). This is then downloaded from via the terminal (10,11,12). The terminal then sends a similar request to download the terminal application for the loyalty scheme(13-17).

Figure 13 shows a sample screen report of applications which have been authorised for downloading, but have not yet been loaded.

#### **Device Access Control**

The ALCS needs to control who has access to which devices. The devices act as a security gate to the real-estate. It is necessary for the application provider to be given permission to access a particular set of devices before they are permitted to become lessees of device real-estate and deposit applications for execution.

The ALCS System will keep track and manage access permissions for the different groups of devices in accordance with arrangements in place between the various parties.

In most cases the owner of a terminal is not necessarily the issuer of the smartcard which is being used in the terminal. The ALCS will need to cater for all the different access scenarios.

It is envisaged that ALCS card and terminals users will fall into one of several categories:

- Issuers - Can have applications residing on the devices and extra permissions.
- Tenants - Will have applications residing on the devices and permission to use all the card services.
- 5     • Members - Can use the device services but have no applications physically residing on a device. (For example a smartcard member may be able to use the encryption facilities of the card from an application residing on a terminal).
- 10    • Visitors - Can only use any publicly available services and cannot have any code residing on devices. Such a public service may for example be the use of a terminal's modem functionality.

Services for Visitors could be anything ranging from proprietary to a standards based service. The distinguishing factor is that the ALCS will not be involved in the management of any such miscellaneous services, as it does not involve applications  
15   residing in non-volatile memory.

### **Billing**

The ALCS will charge lessees for their use of Card Real Estate and terminal real estate as per agreements. In addition the ALCS will facilitate the charging of a fee against revenue for the service it provides. The system contemplates multiple  
20   layers of billing, and that Periodic Bill reports and charges will be sent to participants. These aspects may be implemented via conventional billing software based on reports sent from the Privacy Host manager.

### **Advertising Management**

The system can readily provide facilities for advertising to appear on terminal  
25   screens via applications. The rights to use these advertising facilities and the cross-advertising agreements that will have been agreed to by the different parties, will be managed, executed and adhered to by the ALCS.

### **Constraints**

Various practical constraints will apply to the system, some of which are set  
30   out below, and need to be considered in any practical implementation. Some terminals will not be on-line and will not support dial-in functionality. This may limit



the range of applications that can be downloaded to them. In addition a smartcard, can only have a new application loaded onto it after it has been inserted onto a terminal by a user.

Measures will need to be put in order to ensure that periodically at least, these devices can come on-line. Such measures include system interfaces with a terminal transaction acquirer. This will permit the ALCS to use the acquirer's link with the terminal as a means of contacting the unit. Alternatives include periodic call ups by a terminal to the ALCS Server, and inducements to card holders to occasionally insert their smartcard into an on-line terminal for updating.

Existing terminal applications to a large or smaller extent may have to be re-written in order for them to make use of the ALCS functionality. Existing non-modified applications will be classified as legacy and the ALCS architecture will ensure that they can execute in their present form. They will not though be managed by the ALCS system. Existing multi-application smartcard based applications will be able to take part in the ALCS unmodified.

The ALCS system will make a best effort to ensure that applications only execute and take up the memory space they have paid for. In addition the ALCS will try to ensure that applications do not infringe on each other. To enforce these requirements though, the ALCS system needs support from the device operating system and hardware. A Multos based smartcard environment, can support these requirements and thus the ALCS will make use of them. Other terminal hardware and operating systems may not offer this level of support and thus the ALCS will only be able to make a best effort attempt at safeguarding device space and applications.

It will be appreciated that many modifications and variations are possible within the spirit and scope of the present invention.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. An application control system for use in an environment including a plurality of smartcards and terminals, a plurality of host systems each adapted to interact with  
5 some or all of the smartcards and terminals, said smartcards and terminals including a multiple application operating system,

said system including at least card software located on said cards, terminal software located on said terminals, control software located on one or more remotely located processing devices, and a database in communication with at least said  
10 remotely located processing devices, said database including details of which applications are permitted to be loaded onto which cards and/or terminals, said card software, said terminal software and said control software co-operating so as to utilise the operating system on each card or terminal to download and/or delete applications on each card or terminal, such that said system provides a software  
15 system which enables the remote loading and deletion of applications independent of the operating system on each card or terminal.

2. A system according to claim 1, wherein said control software in cooperation with said database maintains details of the cards and terminals forming part of the  
20 system, a set of possible applications which can be loaded onto the cards and/or terminals, and details of which applications are permitted or required to be loaded onto selected cards and terminals.

3. A system according to claim 3, wherein when a card or terminal is brought on  
25 line with the system, the system identifies the card or terminal and determines whether a new application needs to be loaded or an existing application needs to be removed, and the control software in cooperation with the card and/or terminal software cooperate to issue appropriate commands to the smartcard or terminal operating system to load or delete said applications.

4. A process for arranging the lease of capacity on one or more smartcards for utilisation by an application provider, for use in an environment including a plurality of smartcards and terminals, a plurality of host systems each adapted to interact with some or all of the smartcards and terminals, said smartcards and terminals including  
5 a multiple application operating system, and a system including at least card software located on said cards, terminal software located on said terminals, control software located on one or more remotely located processing devices, and a database in communication with at least said remotely located processing devices, said database including details of which applications are permitted to be loaded onto  
10 which cards and/or terminals, said process including the steps of:

- (a) the application provider requesting a search, using a set of user defined criteria, of said database in order to locate terminals and/or smartcards on which the provider may wish to load an application;
- (b) the control software conducting a search and returning a report to the  
15 application provider;
- (c) the application provider confirming his desire to the control software to rent space;
- (d) the control software requesting approval from the one or more card and/or terminal owners for the application provider to rent space;
- 20 (e) the card and/or terminal owner sending an approval to the control software; and
- (f) the control software sending a confirmation that the lease has been approved to the application provider.

25 5. A process according to claim 4, wherein the process further includes the steps of:

- (g) the control software sending an encryption key to the application provider to enable their submission of their application for downloading to the specified cards and/or terminals;
- 30 (h) the application provider sending a copy of their application encrypted using the encryption key to the control software; and

(i) the control software updating the database so that it indicates that the application is to be loaded onto the specified cards and/or terminals when next they are online with the system.

5 6. A process for arranging the lease of capacity on one or more smartcards for utilisation by application provider, for use in an environment including a plurality of smartcards and terminals, a plurality of host systems each adapted to interact with some or all of the smartcards and terminals, said smartcards and terminals including a multiple application operating system, and a system including at least card  
10 software located on said cards, terminal software located on said terminals, control software located on one or more remotely located processing devices, and a database in communication with at least said remotely located processing devices, said database including details of which applications are permitted to be loaded onto which cards and/or terminals, said processing including the steps of:

15 a) the application provider requesting a search of said database, using a set of user defined criteria, in order to locate terminals and/or smartcards on which the application provider may wish to load an application;

b) the application provider receiving a report based on a search conducted by the control software;

20 c) the application provider confirming his desire to the control software to rent space; and

d) the application provider receiving confirmation from the control software that the lease has been approved by the card and/or terminal owner.

25 7. A process according to claim 6, wherein the process further includes the step of:

e) the application provider receiving an encryption key from the control software to enable their submission of their application for downloading to the specified cards and/or terminals; and

30 f) the application provider sending to the control software, a copy of their application encrypted using the encryption key.

8. A process for arranging the lease of capacity on one or more smartcards for utilisation by an application provider, for use in an environment including a plurality of smartcards and terminals, a plurality of host systems each adapted to interact with some or all of the smartcards and terminals, said smartcards and terminals including a multiple application operating system and a system including at least card software located on said cards, terminal software located on said terminals, control software located on one or more remotely located processing devices, and a database in communication with at least said remotely located processing devices, said database including details of which applications are permitted to be loaded onto which cards and/or terminals, said processing including the steps of:

a) the control software receiving a request from the application provider to conduct a search of the database, using a set of user defined criteria in order to locate terminals and/or smartcards on which the application provider may wish to load an application;

b) the control software conducting a search and transmitting a report based on the results of the search to the application provider;

c) the control software receiving a confirmation from the application provider confirming his desire to rent space;

d) the control software requesting approval from the one or more card and/or terminals owners for the application provider to rent space;

e) the control software receiving an approval from the card and/or terminal owners; and

f) the control software sending a confirmation to the application provider that the lease has been approved.

9. A process according to claim 8, wherein the process further includes the steps of:

g) the control software sending an encryption key to the application provider to enable their submission of their application for downloading to the specified cards and/or terminals;

h) the control software receiving from the application provider, a copy of the application provider's application, encrypted using the encryption key; and

i) the control software updating the database so that it indicates that the application is to be loaded onto the specified cards and/or terminals when next they  
5 are online with the system.


10. A smartcard or terminal adapted to be utilised in the system of any one of claims 1 to 3.

10 11. A smartcard or terminal adapted to be utilised in the process of any one of claims 4 to 9.

12. A smartcard or terminal software product adapted to be used in any one of claims 1 to 9.

1/17

Fig 1.



2/17

Fig 2.






Fig 3.





3/17

Fig 4.



4/17

Fig 5.

Privacy Host			
Rental Search			
Device Type	Model Name		
<input type="checkbox"/> Terminals	<input checked="" type="checkbox"/> Multos Card	Quantity Required:	<u>1000</u>
<input checked="" type="checkbox"/> Smartcards	<input type="checkbox"/> Javacard	Bytes Per Unit Req:	<u>32</u>
	<input type="checkbox"/> OASOS Card	Price Range Per Unit :	<u>\$50</u>
	<input type="checkbox"/> K711	Rental Period Reg :	<u>12months</u>
	<input type="checkbox"/> K80		
	<input type="checkbox"/> K23		
<div>Demographic Data (Optional)</div>			
<input type="checkbox"/> 18-25	<input checked="" type="checkbox"/> 25-40	<input type="checkbox"/> 40-85	
<input type="checkbox"/> North Sydney	<input checked="" type="checkbox"/> South Sydney	<input type="checkbox"/> West Sydney	<input type="checkbox"/> East Sydney
<input type="checkbox"/> 20-40k	<input type="checkbox"/> 40-60k	<input checked="" type="checkbox"/> 60-100k	<input type="checkbox"/> >100k
<div>SEARCH</div>			

5/17

Fig 6.

Privacy Host

Rental Search Results

Criteria	#Matches	%
Smartcards	1000	100%
Multos Card	1000	100%
32 Bytes Per Unit	854	85%
\$50 Price Range	1000	100%
12m Rental Period	1000	100%
Age Group 25-40	1000	100%
Physical Location	950	95%
Income Range	875	87%

The maximum number of devices that can be selected based on your technical requirements are: 854

SUBMIT

SEARCH AGAIN

6/17

Fig 7.

Privacy Host
Rental Confirmation
<u>Your application (Id # 12345) has been accepted with the following details:</u>
<b>Devices:</b> Smartcards, <b>Operating System:</b> Multos <b>Bytes Per Unit:</b> 32 <b>Number Of Cards:</b> 854 <b>Contract Length:</b> 12months <b>Total Cost:</b> \$42,700
Public Encryption Key: AB5hgfuy7634ghgfKWAs
App. Filename: xyz,hex

7/17

Fig 8.

Privacy Host

Report


Application: My Loyalty

Device Id	Owner	Dete Downloaded	Usage Cnt	Length of Stay	Time Left
A04GHJ9	CBA	12/06/1998	1076	12m	4m
A04GHK1	CBA	12/06/1998	1076	12m	4m
A04GHK2	CBA	12/06/1998	1076	12m	4m
A04GHK3	CBA	12/06/1998	1076	12m	4m
A04GHK4	CBA	12/06/1998	1076	12m	4m
A04GHK5	CBA	12/06/1998	1076	12m	4m
A04GHK6	CBA	12/06/1998	1076	12m	4m
A04GHK7	CBA	12/06/1998	1076	12m	4m

NEXT ►


8/17

Fig 9.




9/17

Fig 10.



10/17


Fig 11.





11/17

Fig 12.



12/17

Fig 13.

Privacy Host

Device Id	Issuer	App Name	Tenant	Proceed
A04GHJ9	Telstra	Debit	ANZ	Yes
A04GHK1	Telstra	Debit	ANZ	Yes
A04GHK2	Telstra	Debit	ANZ	Yes
A04GHK3	Telstra	Debit	ANZ	Yes
A04GHK4	Telstra	Debit	ANZ	Yes
A04GHK5	Telstra	Debit	ANZ	Yes
A04GHK6	Telstra	Debit	ANZ	Yes

Search

Clear

Help

Device Id	Issuer	App Name	Tenant
	Telstra		

DOWNLOAD  
Selected Entries

NEXT ▶

13/17

Fig 14.

Privacy Host

Device Configuration

Device Id	Issuer	Application	Type	Last Contact	Location	Free Space
A04GHI9	Telstra	Debit	K711	1/07/1998	N. Ryde	45000
A04GHI9	Telstra	Credit	K711	1/07/1998	N. Ryde	45000
A04GHK1	Telstra	Debit	Multos	1/12/1998	N/A	15000
A04GHK2	Telstra	Debit	Multos	1/12/1998	N/A	15000
A04GHK3	Telstra	Debit	Multos	1/12/1998	N/A	15000
A04GHK4	Telstra	Debit	Multos	1/12/1998	N/A	15000
A04GHK5	Telstra	Debit	Multos	1/12/1998	N/A	15000
A04GHK6	Telstra	Debit	Multos	1/12/1998	N/A	15000

Search  
Clear  
Help

Device Id	Issuer	App	OS	Last Contact	Location	Free Space
	Telstra					

NEXT ►

14/17

Fig 15.

Privacy Host

Lease Agreements

Lease Id	Issuer	Application	Tenant	Start	End	#Of Devices
00001	Telstra	Debit	NAB	1/07/1998	1/12/1998	10000
00002	Telstra	Debit	CBA	1/07/1998	1/12/1998	45000
00003	CBA	Phonecard	Telstra	1/08/1998	1/02/1998	15000
00004	CBA	Loyalty	Telstra	1/08/1998	1/02/1998	15000
00005	CBA	Coke	Coke	1/07/1998	1/07/1999	15000
00006	ANZ	Loyalty	Telstra	1/08/1998	1/02/1998	15000
00007	ANZ	Coke	Coke	1/07/1998	1/07/1999	15000
00008	ANZ	Phonecard	Telstra	1/08/1998	1/02/1999	15000

**NEXT** ►

15/17

Fig 16.

Privacy Host					
Issuers					
Name	Contact	Device% Occupies		#Of	Total
	Details	Type		Devices	Space
Telstra	J. Bloggs Ph. 29888275	Multos	70%	10000	320K
Telstra	J. Bloggs Ph. 99001766	K71i	50%	45000	45Gb
CBA	J. Hendrix Ph. 99887666	JCard	65%	10000	640K

16/17

Fig 17.

Privacy Host

Tenants

Name	Contact	Lease Id	Time Before Expiry
	Details		
Coke	J. Simmins Ph. 29888275	00001	6m
Telstra	J. Bloggs Ph. 99001766	00004	12m

17/17

Fig 18.

Issuer	Contact Details	Device Type	% UnOccupied
Telstra	J. Bloggs Ph. 99887765	Multos	30%
Telstra	J. Bloggs Ph. 99007766	K71I	50%
CBA	J. Simmins Ph. 29888275	JCard	35%